

ENGINEERED PARQUET PARQUET.UNIWOOD.UK

HIGH QUALITY ENGINERED PARQUET FROM OAK AND PLYWOOD

Our engineered floor boards are made with a top layer of solid-sawn 4mm wood. The lower layer is made of water resistant 10-12 mm plywood.



Functionality

In contemporary operational contexts, the demand for materials is twofold: they must be environmentally friendly and natural, all while delivering functionality. This particular material not only boasts an impressive aesthetic appeal but also seamlessly accommodates installation over underfloor heating systems.



ENGINEERED PARQUET

PARQUET.UNIWOOD.UK

ENGINERED PARQUET IS A COMBINATION OF OAK AND PLYWOOD



Variety of Designs

Our parquet flooring offers a range of design options, including the timeless classic board, the distinctive chevron pattern at angles of 45 or 90 degrees, intricate geometric shapes, and even a modular board arrangement for unique patterns.



ENGINEERED PARQUET PARQUET.UNIWOOD.UK

WE USE NATURAL OIL AND NATURAL PIGMENTS TO GIVE OUR PARQUET NATURAL SHADES



Color Selection

Our parquet is versatile when it comes to color. You have the option to preserve its natural appearance for long-lasting authenticity by applying natural oil. Alternatively, you can imbue the parquet with vibrant colors or subtle hues, adding a touch of uniqueness to your interior space.



ENGINEERED PARQUETPARQUET.UNIWOOD.UK

Price: Engineered parquet from oak massif and plywood 14 mm / 16mm. Minimal - 1000m2

#	Grade	ltem
1	Rustic BC, UV oiled	14x140x1200-2900
2	Rustic CD, UV oiled	14x140x1200-2900
3	Rustic DE, UV oiled	14x140x1200-2900
4	1 BIS or better, UV oiled	14x180x1200-2900
5	Rustic BC, UV oiled	14x180x1200-2900
6	Rustic CD, UV oiled	14x180x1200-2900
7	Rustic DE, UV oiled	14x180x1200-2900
8	Chevron 45 Nature UV ton	14x140x600
9	Chevron 45 Rustic UV ton	14x140x600
10	Chevron 90 Select UV oil	14x140x600
11	Chevron90 Nature UV oil	14x140x600
12	Chevron 90 Rustic UV ton	14x140x600

Delivery

The cost is indicated when ordering 1000m2.

When ordering less than 1000m2, you should ask us to quote the cost.

Installation

We can provide an installation work. Ask us to quote.



ENGINEERED PARQUET PARQUET.UNIWOOD.UK

NOTE: Description and characteristics of parquet board varieties

Grade I or better:

All kinds of natural healthy oak wood color deviations are allowed.

Sound knots up to 8 mm in diameter and k not holes up to 3 mm are allowed. No cracks and heartwood allowed.

GRADE RUSTIC

Rustic AB:

All kinds of natural healthy oak wood color deviations and some discoloration are allowed. Sound knots up to 30 mm diameter and knot holes with a maximum diameter 15 mm are allowed, as well as other variations including non-circular knotholes, star-cracks in knots, heart shakes and end cracks, as long as there individual area does not exceed the area of a circle with a diameter of 15 mm. Dark heartwood is not allowed

Rustic BC:

Discoloration and some color variations are allowed, except dark brown ones. Sound knots are allowed without limitation. Knot holes with a maximum diameter 15 mm are allowed, as well as other variations including non-circular knotholes, star-cracks in knots, heart shakes and end cracks as long as there individual area does not exceed the area of a circle with a diameter of 15 mm. Healthy heartwood including dark one is allowed too.

Rustic CD:

Any discoloration and color variations are allowed, except dark brown ones. Sound knots are allowed without limitation. Knot holes with a maximum diameter 30 mm are allowed, as well as other variations including non-circular knotholes, star-cracks in knots, heart shakes and end cracks as long as there individual area does not exceed the area of a circle with a diameter of 30 mm. Healthy heartwood including dark one is allowed too.



ENGINEERED PARQUET PARQUET.UNIWOOD.UK

Straight flat board 160 x 800 - 2500 mm



Sizes

The length of the parquet board can vary from 800 mm to 2500 mm. as a rule, there are 4-5 sizes, which allow laying parquet without getting into the seams.

The width of the parquet board can be 140 or 180 mm as a standard or we can produce other sizes if you specify.



CHEVRON 45



Modern classic

Sizes 120 mm x 480mm, 140 mm x 560 mm / 660 mm



Straight flat board



Blending Comfort and Practicality

Combining a cozy ambiance with practicality, we offer the ability to transform our parquet into an aged flooring masterpiece. Through our advanced technology, we can infuse the parquet with the essence of flooring that has withstood the test of time for a century or two. This aging process can be tailored to your precise preferences, perfectly complementing your interior aesthetics.



Straight flat board









CHEVRON 45

RUSTIC



Embracing Comfort in Every Cozy Detail



CHEVRON 45









ENGINEERED PARQUET PARQUET.UNIWOOD.UK

CHEVRON 90

Grade – 1st quality or Select (Is without knots)

Finish – Raised grain or sanded.

Painted - 2 applications of paint or oil stain with UF resistance.



While we may not be a large-scale factory, this is what sets us apart – each client holds immense significance in our eyes.

Our expertise lies in customizing parquet boards to your exact specifications. Whether it's painting them in a variety of colors, processing them to your desired texture or aging, we can bring your vision to life. We meticulously select the ideal board size and craft each piece according to your unique needs.

Elevating our offerings, we can create stair treads or entire staircases that harmonize flawlessly with your parquet's hue. Additionally, we can bring your design concepts to reality by crafting railings based on your sketches.

Eager to witness our capabilities firsthand? Reach out to us with a simple call!